

# **Ahsay Online Backup Manager v7**

## **Cloud File Backup & Restore Guide for Windows**

Ahsay Systems Corporation Limited

**5 April 2017**

# Copyright Notice

© 2017 Ahsay Systems Corporation Limited. All rights reserved.

The use and copying of this product is subject to a license agreement. Any other use is prohibited. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without prior written consent of Ahsay Systems Corporation Limited. Information in this manual is subject to change without notice and does not represent a commitment on the part of the vendor, Ahsay Systems Corporation Limited does not warrant that this document is error free. If you find any errors in this document, please report to Ahsay Systems Corporation Limited in writing.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

## Trademarks

Ahsay, Ahsay Cloud Backup Suite, Ahsay Online Backup Suite, Ahsay Offsite Backup Server, Ahsay Online Backup Manager, Ahsay A-Click Backup, Ahsay Replication Server, Ahsay BackupBox Firmware, Ahsay Universal Backup System, Ahsay NAS Client Utility are trademarks of Ahsay Systems Corporation Limited.

Amazon S3 is registered trademark of Amazon Web Services, Inc. or its affiliates.

Apple and Mac OS X are registered trademarks of Apple Computer, Inc.

Dropbox is registered trademark of Dropbox Inc.

Google Cloud Storage and Google Drive are registered trademarks of Google Inc.

Lotus, Domino, Notes are registered trademark of IBM Corporation.

Microsoft, Windows, Microsoft Exchange Server, Microsoft SQL Server, Microsoft Hyper-V, Microsoft Azure, One Drive and One Drive for Business are registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Oracle, Oracle 10g, Oracle 11g and MySQL are registered trademarks of Oracle Corporation.

Rackspace and OpenStack are registered trademarks of Rackspace US, Inc.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo and JBoss are registered trademarks of Red Hat, Inc. [www.redhat.com](http://www.redhat.com) in the U.S. and other countries. Linux is a registered trademark of Linus Torvalds.

ShadowProtect is registered trademark of StorageCraft Technology Corporation.

VMware, ESX, ESXi, vCenter are registered trademarks of VMware, Inc.

All other product names are registered trademarks of their respective owners.

## Disclaimer

Ahsay Systems Corporation Limited will not have or accept any liability, obligation or responsibility whatsoever for any loss, destruction or damage (including without limitation consequential loss, destruction or damage) however arising from or in respect of any use or misuse of reliance on this document. By reading and following the instructions in this document, you agree to accept unconditionally the terms of this Disclaimer and as they may be revised and/or amended from time to time by Ahsay Systems Corporation Limited without prior notice to you.

## Revision History

Date	Descriptions	Type of modification
18 Sept 2016	First Draft	New
3 February 2017	Added instructions and screen shots for Encryption key handling in Ch. 4.1	New
5 Apr 2017	Added Backup Destination for Run-on-Server Backup Set related info; Added new Encryption Type option in Create a Backup Set section	New

# Table of Contents

1	Overview.....	1
1.1	About This Document.....	7
2	Preparing for Backup and Restore .....	8
2.1	Hardware Requirement.....	8
2.2	Software Requirement .....	8
2.3	Other Requirement and Recommendation .....	8
2.4	Best Practices and Recommendations .....	8
3	Login to AhsayOBM / AhsayCBS User Web Console .....	10
3.1	Login to AhsayOBM .....	10
3.2	Login to the AhsayCBS User Web Console .....	11
4	Creating a Cloud File Backup Set .....	12
4.1	Create a Cloud File Backup Set in AhsayOBM .....	12
4.2	Create a Cloud File Backup Set on the Web Console .....	23
5	Overview of Cloud File Backup .....	28
6	Running a Backup .....	30
6.1	Start a Manual Backup in AhsayOBM.....	30
6.2	Start a Manual Backup on the User Web Console .....	31
6.3	Configure Backup Schedule for Automated Backup in AhsayOBM .....	32
6.4	Configure Backup Schedule for Automated Backup on the Web Console .....	34
7	Restoring with a Cloud File Backup Set.....	36
7.1	Restore with AhsayOBM.....	36
7.2	Restore with the AhsayCBS Web Console .....	41
8	Technical Assistance.....	43
9	Documentation .....	44
	Appendix .....	45
Appendix A	Setting Backup Destination on AhsayOBM for Backup Created on User Web Console .....	45

# 1 Overview


## *What is this software?*

Ahsay brings you specialized client backup software, namely AhsayOBM, to provide a set of tools to protect your data on cloud storage. This includes backup and recovery of individual files with versioning and retention policy to protect your data on cloud storages.

## *System Architecture*


Below is the system architecture diagram illustrating the major elements involved in the backup process among the Cloud Storage, AhsayOBM and AhsayCBS.

In this user guide, we will focus on the software installation, as well as the end-to-end backup and restore process using both the AhsayOBM (Client Agent) and AhsayCBS User Web Console (Agentless).



## Why should I use AhsayOBM or AhsayCBS User Web Console to back up my data on Cloud Storage?

We are committed to bringing you a comprehensive cloud storage backup solution with AhsayOBM. Below are some key areas we can help making your backup experience a better one.



### Easy Setup & Professional Services

**Setup is a few clicks away** - our enhanced AhsayOBM v7 can be easily downloaded and installed in just a few clicks. The refined user interface also provides user-friendly instructions to guide you through installation, configuration, backup and restore. The intuitive setup procedures together with instructions in this user guide makes the software installation and operations easy even for layman users. That being said, if you do run into any problems during setup, we are here to help out. Visit the URL below for details on technical assistance.

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

#### Professional Services

##### AhsayOBM Installation and Configuration Service

If you would like to save the time of reading through this document for setup, we have introduced this service to take care of all the installation and setup for you. On top of the installation and setup services, we also have a whole series of premium after-sales services to provide you with the best user experiences possible.

##### Valid Maintenance

Our Valid Maintenance provides you with professional and timely customer support along the way. You are entitled to the Valid Maintenance for free during the first year of your service subscription, and recurring annual fee at 20% of your annual subscription fee.

Refer to our [Professional Services](#) webpage for further details and subscription.



## Selectable Backup Run Type

You can choose to either run the backup set you created on **Server** (AhsayCBS) or **Client** (AhsayOBM).

The run type of a cloud file backup set can only be set if you create a backup set via the AhsayCBS Admin / User Web Console. For backup set created via the backup client application (i.e. AhsayOBM), the run type is set to Run on Client by default.

### Run on Server

A Run on Server cloud file backup set provides you with an agentless backup solution. Manual or scheduled backup job is performed on the backup server (i.e. AhsayCBS); you do not need to install a backup agent on your personal computer in order to backup your data on cloud storages.

#### *What are the benefits?*

- **Physical Machine not Required**

Since the whole backup and restore process is done over the CBS server and therefore you do not need a physical machine at all.

- **Simplified Installation**

Unlike agent-based backup, you do not need to install the client backup agent on your computer or upgrade it when a newer version becomes available.

- **Simplified Administration**

With one software to manage (AhsayCBS, the backup server application), this allows administrator / user to manage backup and restore operations from a centralized console with lower time investment.

- **Compliance**

Some organizations cannot install client agents due to regulatory requirements. An agentless solution allows for compliance during backup or restore.

- **Consistency and Recoverability**

Backup client agent could interfere with the processing power of core applications of the machines that it is installed on. Run on Server cloud file backup job is performed on the backup server, which does not consume resources on client computer during a backup job.

The advantages of agentless backup technology make it a good option for administrators / users who want to simplify the backup and restore management.

### Run on Client

A Run on Client cloud file backup set provides you with an agent-based backup solution. Manual or scheduled backup job is performed on the client computer (i.e. AhsayOBM); you need to install a backup agent on your personal computer in order to back up your data on cloud storages.

#### *What are the benefits?*

- **Robustness**

In the event of a failure to a single backup agent, it fails in isolation to other users' environment.

• **Industry standard requires minimal learning curve**

Agent-based backup is the traditional backup approach that is well understood by most administrators and end users whom would only need minimal effort and time to understand the backup and restore process and operations.

• **Performance**

Unlike an agentless backup, where backup / restore operations of all users are performed on the backup server which may have multiple jobs to run at the same time, resulting in slower performance. Agent-based backup is performed on your computer with resources that is dedicated for your own backup and restores.

The advantages of agent-based backup technology make it a good option for users who want to have more control on individual backup / restore and resources management.

With both **Run on Server** (agentless) and **Run on Client** (agent-based) backup options available and the freedom to use different setting on different backup sets according to your needs, our backup solution offers you with high level of flexibility and efficiency for cloud file backup and restore.

**Differences between a Run on Server and Run on Client Backup Set**

The following table summarizes the differences in backup options available for a Run on Server or Client cloud file backup set, and the tool to use (client agent or web console) when performing a backup and restore:

	Run on Server Cloud File Backup Set	Run on Client Cloud File Backup Set
General Settings	Yes	Yes
Backup Source	Yes	Yes
Backup Schedule	Yes	Yes
Continuous Backup	Yes	Yes
Destination	Yes (Restricted to AhsayCBS only)	Yes
In-File Delta	Yes	Yes
Retention Policy	Yes	Yes
Command Line Tool	N/A	Yes
Reminder	N/A	Yes
Bandwidth Control	Yes	Yes
IP Allowed for Restore	N/A	Yes
Other	Yes	Yes
<b>To Run a Backup</b>	AhsayCBS User Web Console Only	AhsayOBM / AhsayCBS
<b>To Run a Restore</b>	AhsayCBS User Web Console Only	AhsayOBM / AhsayCBS





## Fast and Efficient

We understand that backup could be a time and resources consuming process, which is why AhsayOBM is designed with advanced technologies to make backup a fast and efficient process.

We also understand that you may wish to run backup at a specified time interval of your choice, that's why we also allow you to set your own backup schedules so that you can take full control of the time when to perform backup.

- **Multi-threading** – this technology utilizes the computing power of multiple CPU cores for creating multiple backup and restore threads to produce fast backup and restore performance.
- **Block Level Incremental Backup** – this technology breaks down the backup files into multiple blocks and only the changed blocks will be backed up each time.



## Centralized Management Console

Our enriched features on the centralized web console offers you a one-stop location for monitoring and managing your backup and restore, whether you are a system administrator or backup user. Below is an overview of what you can do with it.

- Create backup set
- Restore backup
- Configure user settings
- Configure backup settings
- View and download backup and restore reports
- Monitor backup and restore live activities



## Cloud Destinations Backup

To offer you with the highest flexibility of backup destination, you can now back up mail objects to a wide range of cloud storage destinations. Below is a list of supported cloud destinations.

Amazon S3	Amazon Cloud Drive	AWS S3 Cloud Storage	Google Cloud Storage
Google Drive	OneDrive	Microsoft OneDrive / OneDrive for Business	Rackspace
OpenStack	Microsoft Azure	Dropbox	FTP
SFTP			

Cloud backup gives you **two major advantages**:

- ❶ **Cloud to Cloud Backup** – you can back up your data on cloud storage to another cloud destination of your choice. This gives you an extra layer of protection in the event of a local drive corruption, where you will still be able to retrieve data from the cloud destination.
- ❷ **Eliminate Hardware Investment** – with the increasingly affordable cloud storage cost, you can deploy on cloud platform and utilize cloud storage as your centralized data repository, or simply expand your cloud storage as a backup destination without having to invest on hardware.

### Note

Cloud destination backup applies only to agent-based backup sets. The backup destination is restricted to AhsayCBS for all agentless backup sets.



## High Level of Security

We understand the data on your cloud storage may contain sensitive information that requires to be protected, that is why your backup data will be encrypted with the highest level of security measure.

- ❶ **Un-hackable Encryption Key** – to provide the best protection to your backup data, you can turn on the encryption feature which will be default encrypt the backup data locally with AES 256-bit truly randomized encryption key.
- ❷ **Encryption Key Recovery** – Furthermore, we have a backup plan for you to recover your encryption key in case you have lost it. You backup service provider can make it mandatory for you to upload the encryption key to the centralized management console, the encryption key will be uploaded in hashed format and will only be used when you request for a recovery.

## 1.1 About This Document

### *What is the purpose of this document?*

This document aims at providing all necessary information for you to get started with setting up your system for Cloud File backup and restore, followed by step-by-step instructions on creating backup set, running backup job and restoring backed up data, using both the AhsayOBM and AhsayCBS Web User Console.

The document can be divided into 3 main parts.

### **Part 1: Preparing for Cloud File Backup & Restore**

#### **Requirements**

Requirements on hardware & software for installation

#### **Best Practices and Recommendations**

Items recommended to pay attention to before backup and restore

### **Part 2: Performing Cloud File Backup**

#### **Logging in to Client Agent or User Web Console**

Log in to AhsayOBM or User Web Console

#### **Creating a Backup Set**

Create a backup set using AhsayOBM and User Web Console

#### **Running a Backup Set**

Run a backup set using the AhsayOBM and User Web Console

#### **Configuring an Automated Backup**

Configure backup schedule for automated backup

### **Part 3: Restoring Cloud File Backup**

#### **Restoring a Backup Set using AhsayOBM & User Web Console**

Restore a backup using the AhsayOBM and User Web Console

### *What should I expect from this document?*

After reading through this documentation, you can expect to have sufficient knowledge to set up your system to backup data on Cloud storage using AhsayOBM and User Web Console, as well as to carry out an end-to-end backup and restore process.

### *Who should read this document?*

This documentation is intended for backup administrators and IT professionals who are responsible for the Cloud File backup and restore.

## 2 Preparing for Backup and Restore

### 2.1 Hardware Requirement

To achieve the optimal performance when AhsayOBM is running on your machine, refer to the following article for the list of hardware requirements.

[FAQ: Ahsay Hardware Requirement List \(HRL\) for version 7.3 or above](#)

### 2.2 Software Requirement

Refer to the following article for the list of compatible operating systems and application versions.

[FAQ: Ahsay Software Compatibility List \(SCL\) for version 7.3 or above](#)

### 2.3 Other Requirement and Recommendation

Ensure that the following requirements are met:

- **AhsayOBM Installation**

Make sure that AhsayOBM is installed on a computer with Internet access for connection to the cloud storage.

- **Access for AhsayCBS User Web Console**

It is now possible to perform agentless backup and restore, which can be done via the AhsayCBS User Web Console without using the AhsayOBM client agent. In order to access the User Web Console, make sure you have Internet connection and a web browser installed on your computer or mobile device.

- **Backup Quota Requirement**

Make sure that your AhsayOBM user account has sufficient quota assigned to accommodate the storage for the Cloud File backup. Contact your backup service provider for details.

### 2.4 Best Practices and Recommendations

The following are some best practices or recommendations we strongly recommend you to follow before you start any Cloud File backup and restore.


- **Temporary Directory Folder Location (For backup and restore running on AhsayOBM only)**

Temporary directory folder is used by AhsayOBM for storing backup set index files and any incremental or differential backup files generated during a backup job. To ensure optimal backup/restoration performance, it is recommended that the temporary directory folder is set to a local drive.

- **Performance Recommendations**

Consider the following best practices for optimized performance of the backup operations:

- Schedule backup jobs when system activity is low to achieve the best possible performance.
- Perform test restores periodically to ensure your backup is set up and performed properly. Performing recovery test can also help identify potential issues or gaps




in your recovery plan. It's important that you do not try to make the test easier, as the objective of a successful test is not to demonstrate that everything is flawless. There might be flaws identified in the plan throughout the test and it is important to identify those flaws.

## 3 Login to AhsayOBM / AhsayCBS User Web Console

### 3.1 Login to AhsayOBM

1. Login to the AhsayOBM application user interface.

For client installation on Windows, double click the AhsayOBM desktop icon to launch the application.




2. Enter the **Login name** and **Password** of your AhsayOBM account.
3. Click **Show advanced option** to configure the **Backup Server** and **Proxy** details if necessary.
4. Click **OK** afterward to login to AhsayOBM.

## 3.2 Login to the AhsayCBS User Web Console

1. Login to the AhsayCBS web console at

`https://backup_server_hostname:port`

**Note:** Contact your service provider for the URL to connect to the web console if necessary.

The screenshot shows the AhsayCBS login web console. At the top, there is a header bar with the AhsayCBS logo on the left, the word "English" in the center, and a download icon on the right. The main content area is dark gray and contains a login form. The form has two input fields: "Login Name" with the placeholder text "username" and "Password" with masked characters ".....". Below the password field is a link for "Forgot Password". There is a checkbox labeled "Remember my login name" which is checked. A large green circular button with a white right-pointing arrow and the word "LOGIN" is centered below the form. At the bottom of the page, there is a footer bar with a mobile app icon on the left and a question mark icon on the right.

2. Enter the **Login Name** and **Password** of your AhsayOBM account.
3. Click **Login** afterward to login to the web console.


## 4 Creating a Cloud File Backup Set

### 4.1 Create a Cloud File Backup Set in AhsayOBM

1. In the AhsayOBM main interface, click **Backup Sets**.




2. Create a Cloud File backup set by clicking the “+” icon next to **Add new backup set**.
3. Enter a **Name** for your backup set and select **Cloud File Backup** as the **Backup set type**.






4. Select the **Cloud type** of the cloud storage that contain the data that you want to backup.





5. Depending on the cloud type you have selected, you will be prompted to enter the cloud service login details in either way below.
  - Enter the login details on the current page in AhsayOBM, then click **Test** to validate your account information. A confirmation text **Test completed successfully** shows when AhsayOBM is connected to the cloud service successfully. If you need to route through proxy server to access the Internet, enable the **Access the Internet through proxy** checkbox to configure the settings.



**-OR-**


- Click **Test** to get redirected to the login page of the cloud service provider on your default browser, then enter the login details there. Click **Allow** to permit AhsayOBM to access the cloud storage. Copy and paste the code generated by the cloud service provider to AhsayOBM where you will be prompted to enter, then click **OK** to confirm.




#### **IMPORTANT**

The authentication request will be opened in a new tab / window on the browser, ensure that the pop-up tab / window is not blocked (e.g. pop-up blocker in your browser).


6. In the **Backup Source** menu, select the folder / files that you would like to backup.




Enable the **Show files** checkbox at the bottom left corner if you would like to choose individual file for backup. Click **Next** to proceed when you are done with the selection.




7. In the **Schedule** menu, configure a backup schedule for backup job to run automatically at your specified time interval. Click **Add new schedule** to add a new schedule, then click **Next** to proceed afterward.



Configure the backup schedule settings on this page, then click **OK** when you are done with the settings, then click **Next** to proceed.




8. In the **Destination** menu, select a backup destination where the backup data will be stored. Click the “+” icon next to **Add new storage destination / destination pool**.



### Note

For more details on Backup Destination, refer to the following KB article for details:  
<https://forum.ahsay.com/viewtopic.php?f=186&t=14049>

9. Select the storage type.
- **Single storage destination** – the entire backup will be uploaded to one single destination you selected under the **Destination storage** drop-down list. By default, the destination storage is selected as **CBS**.



- **Destination pool** – the backup will be spread over on the destinations you have selected. Enter a **Name** for the destination pool and then click **Add new storage destination to the pool** to select the desired storage destinations.


The screenshot shows the 'New Storage Destination / Destination Pool' dialog box. The title bar says 'AhsayOBM'. The main title is 'New Storage Destination / Destination Pool'. There is a text field for 'Name' with the value 'DestinationPool-1'. Below it, under 'Type', there are two radio buttons: 'Single storage destination' (unselected) and 'Destination pool' (selected). A paragraph of text follows: 'Add the cloud (e.g. Google Drive or Dropbox) or local storage that you would like to pool together for backup. You can always add more storage to this pool in the future.' Below this, it says 'Existing storage destinations in the pool' and there is a '+ Add new storage destination to the pool' button. At the bottom right, there are 'OK', 'Cancel', and 'Help' buttons. At the very bottom, there are 'Previous', 'Next', 'Cancel', and 'Help' buttons.

You can choose a storage combination of the Local/Mapped drive/Removable Drive, Cloud storage or FTP. Click **OK** to proceed when you are done with the settings.

- If you have chosen the Local/Mapped Drive/Removable Drive option, click **Change** to browse to a directory path where backup data will be stored, then click **Test** to validate the path. **Test completed successfully** shows when the validation is done.

The screenshot shows the 'New Storage Destination For The Pool' dialog box. The title bar says 'AhsayOBM'. The main title is 'New Storage Destination For The Pool'. There is a text field for 'Name' with the value 'Local-1'. Below it, under 'Destination storage', there is a dropdown menu with the selected option 'Local / Mapped Drive / Removable Drive'. Below that, there is a text field for 'Local path' and a 'Change' button. At the bottom left, there is a 'Test' button. At the bottom right, there are 'OK', 'Cancel', and 'Help' buttons.

- If you have chosen the Cloud Storage, click **Test** to log in to the corresponding cloud storage service.



AhsayOBM

New Storage Destination For The Pool

Name  
GoogleDrive-1


Destination storage  
Google Drive

Test

[Sign up for Google Drive](#)

OK Cancel Help

- If you have chosen the FTP as the destination, enter the the Host, Username and Password details.



AhsayOBM

Name  
FTP-1

Destination storage  
FTP FTP

Host Port

Username

Password



(optional) FTP directory to store backup data (default to ~/Ahsay)


☐ Connect with SSL/TLS (explicit only)

☐ Access the Internet through proxy


Test

OK Cancel Help

10. You can add multiple storage destinations. The backup data will be uploaded to all the destinations you have selected in the order you added them. Press the   icon to alter the order. Click **Next** to proceed when you are done with the selection.



11. In the Encryption window, the default **Encrypt Backup Data** option is enabled with an encryption key preset by the system which provides the most secure protection.



You can choose from one of the following three Encryption Type options:

- **Default** – an encryption key with 44 alpha numeric characters will be randomly generated by the system
- **User password** – the encryption key will be the same as the login password of your AhsayOBM at the time when this backup set is created. Please be reminded that if you change the AhsayOBM login password later, the encryption keys of the backup sets previously created with this encryption type will remain unchanged.



- **Custom** – you can customize your encryption key, where you can set your own algorithm, encryption key, method and key length.

Encryption

Encrypt Backup Data  
On

Encryption Type  
Custom

Algorithm  
AES

Encryption key  
\*\*\*\*\*

Re-enter encryption key  
\*\*\*\*\*

Method  
☐ ECB ☒ CBC

Key length  
☐ 128-bit ☒ 256-bit

**Note:** For best practice on managing your encryption key, refer to the following KB article. <https://forum.ahsay.com/viewtopic.php?f=169&t=14090>

Click **Next** when you are done setting.

12. If you have enabled the Encryption Key feature in the previous step, the following pop-up window shows, no matter which encryption type you have selected.

Encryption

Encrypt Backup Data  
On

Encryption Type  
Default

You are advised to write this encryption key down on paper and keep it in a safe place. You will need it when you need to restore your files later. Please confirm that you have done so.


.....

Unmask encryption key

Copy to clipboard Confirm


The pop-up window has the following three options to choose from:

- **Unmask encryption key** – The encryption key is masked by default. Click this option to show the encryption key.



- **Copy to clipboard** – Click to copy the encryption key, then you can paste it in another location of your choice.
- **Confirm** – Click to exit this pop-up window and proceed to the next step

13. Enter the **Domain Name / Host Name**, **User Name** and **Password** of the Windows account that will be running the backup.




**Note:** This menu will only be displayed for backup set with backup schedule configured (for installation on Windows).


14. Click **Next** to create the backup set.

## 4.2 Create a Cloud File Backup Set on the Web Console


1. Log in to the User Web Console according to the instructions in [Login to the AhsayCBS User Web Console](#).
2. Click the **User** icon on the User Web Console landing page.



3. Select **Backup Set** from the left panel, then create a Cloud File backup set by clicking the circular “+” icon under **Manage Backup Set**.



4. Select **Cloud File Backup** as the **Type**, and enter a **Name** for the backup set.



5. On the same menu under **Run on**, select **Server** to create a run on server (agentless backup) backup set or **Client** to create a run on client (agent-based backup) backup set.
  - **Server** - If you choose to run the backup set on the CBS server, you won't be able to back up, restore or manage your backups on the AhsayOBM once the backup set is created.

- **Client** - If you choose to run the backup set on the AhsayOBM, you won't be able to back up, restore or manage your backups on the AhsayCBS Web Management Console once the backup is created.

Run on

☒ Server ☐ Client

#### Notes

1. This setting **CANNOT** be altered once the backup set is created. If you wish to change the backup method later, you will have to create a new backup set and start over the configurations again.
2. For backup sets created in **Run-on-Server** backup type, the backup destination is restricted to AhsayCBS by default and cannot be altered. If you wish to back up to other destinations, backup sets should be created in **Run-on-Client** backup type instead.

6. Select the cloud storage that contains the data that you want to backup under **Backup From**. Click **Test** afterward to authenticate AhsayCBS / AhsayOBM to access the cloud storage.

Backup From



Google Drive

Test


#### IMPORTANT

The authentication request will be opened in a new tab / window on the browser, ensure that the pop-up tab / window is not blocked (e.g. pop-up blocker in your browser).


7. Click **Allow** to permit access the cloud storage.



Ahsay would like to:



View and manage the files in your Google Drive



By clicking Allow, you allow this app and Google to use your information in accordance with their respective terms of service and privacy policies. You can change this and other [Account Permissions](#) at any time.

Deny

Allow

Enter the **Authentication code** returned on the web console to complete the authentication setup.

Authorization code

Ht3CXN3N0HCQjmgivi291ha\_94Pgzc6HnNm6DA

Test

8. In the **Backup Source** menu, select the folder / files that you would like to backup.

### Add New Backup Set

**Backup Source** Refresh

Google Drive

Ahsay

☒

Backup Source

CloudBacko

Destination

Misc

My Documents

Temporary Store

	File	Size	Last Modified
<input checked="" type="checkbox"/>	File1.rtf	15.4M	2016-08-23 16:14:42
<input checked="" type="checkbox"/>	File10.rtf	15.4M	2016-08-23 16:15:10
<input checked="" type="checkbox"/>	File2.rtf	15.4M	2016-08-23 16:14:45
<input checked="" type="checkbox"/>	File3.rtf	15.4M	2016-08-23 16:14:48
<input checked="" type="checkbox"/>	File4.rtf	15.4M	2016-08-23 16:14:51
<input checked="" type="checkbox"/>	File5.rtf	15.4M	2016-08-23 16:14:55
<input checked="" type="checkbox"/>	File6.rtf	15.4M	2016-08-23 16:14:57
<input checked="" type="checkbox"/>	File7.rtf	15.4M	2016-08-23 16:15:00
<input checked="" type="checkbox"/>	File8.rtf	15.4M	2016-08-23 16:15:04
<input checked="" type="checkbox"/>	File9.rtf	15.4M	2016-08-23 16:15:07

9. In the **Schedule** menu, configure a backup schedule for backup job to run automatically at your specified time interval. Slide the on/off button to turn on this feature. Click the **+** icon under **Manage Schedule** to add a new schedule, then click **Next** to proceed afterward.

www.ahsay.com

25

10. For **Run on Client** Cloud File backup set, select a predefined backup destination where the backup data will be stored. Click the “+” icon under **Predefined Destination**.

#### IMPORTANT


The **Destination** menu will only be displayed for **Run on Client** Cloud File backup set. For **Run on Server** Cloud File backup set, the destination will automatically be set to the backup server (AhsayCBS), the destination is not configurable.

If you would like to create a **Run on Client** Cloud File backup set with a standard backup destination, please create the backup set via the AhsayOBM user interface instead.

Select the corresponding predefined destination, and then click **Add**. Click **Next** to proceed afterward.

If you would like to choose other backup destination other than the Predefined Destination, proceed to the next step without making any setting here. You will have to complete this backup set creation first, then log in to the AhsayOBM and configure the backup destination from there. For further details, refer to [Appendix A Setting Backup Destination on AhsayOBM for Backup Created on User Web Console](#).

11. By default, the **Encrypt Backup Data** option is enabled with the Encryption Type preset as **Default** which provides the most secure protection.



The screenshot shows a web form titled "Add New Backup Set". Inside the form, there is a section titled "Encryption". Under this section, the option "Encrypt Backup Data" is checked. Below this, there is a label "Encryption Type" followed by a dropdown menu. The dropdown menu is currently set to "Default (Machine Generated Random)".

You can choose from one of the following three Encryption Type options:

- **Default (Machine Generated Random)** – an encryption key with 44 alpha numeric characters will be randomly generated by the system
- **User password** – the encryption key will be the same as the login password of your AhsayACB at the time when this backup set is created. Please be reminded that if you change the AhsayACB login password later, the encryption keys of the backup sets previously created with this encryption type will remain unchanged.

- **Custom** – you can customize your encryption key, where you can set your own algorithm, encryption key, method and key length.

### Add New Backup Set

**Encryption**  
**Encrypt Backup Data**  
  
Encryption Type  

Custom

  
  
Algorithm  

AES


  
  
Encrypting key  
  
  
Re-type encrypting key  
  
  
Method  


☐ ECB ☒ CBC

  
  
Key length  

☐ 128-bit ☒ 256-bit

**Note:** For best practice on managing your encryption key, refer to the following KB article: <https://forum.ahsay.com/viewtopic.php?f=169&t=14090>


Click the green  icon at the bottom right corner to confirm the backup schedule once you finish setting.

12. Click the  icon at the bottom right corner to confirm creating this backup set.

## 5 Overview of Cloud File Backup


The following steps are performed during a cloud file backup job:

### Run on Server Cloud File Backup





### Run on Client Cloud File Backup




## 6 Running a Backup

### 6.1 Start a Manual Backup in AhsayOBM

1. Click the **Backup** icon on the main interface of AhsayOBM.




2. Select the backup set which you would like to start a backup for.




3. If you would like to modify the In-File Delta type, Destinations and Retention Policy Settings, click **Show advanced option**.
4. Click **Backup** to start the backup.

## 6.2 Start a Manual Backup on the User Web Console


1. Log in to the User Web Console according to the instructions in [Login to the AhsayCBS User Web Console](#).
2. Click on the **User** icon.



3. Select **Backup Set** from the left panel, then select **Backup** under **Execute Job** drop down menu, then click **Run**.



4. Modify the **In-File Delta** type and **Retention Policy** setting if necessary.
5. Click **Run Backup** to start the backup job.
6. When a backup job is running, the status **Backup is Running** will be displayed. Click **Stop** to stop the backup job if necessary.




## 6.3 Configure Backup Schedule for Automated Backup in AhsayOBM


1. Click the **Backup Sets** icon on the AhsayOBM main interface.




2. Select the backup set that you want to create a backup schedule for.



3. Click **Backup Schedule**, switch on the **Run scheduled backup for this backup set** button and click **Add new schedule**.




4. Configure the backup schedule settings, then click **OK** to proceed.




5. Click **Save** to confirm your settings.

## 6.4 Configure Backup Schedule for Automated Backup on the Web Console


1. Click on the **User** icon on the main page of the User Web Console.



2. Select **Backup Set** from the left panel, then click on the corresponding backup set.
3. Go to the **Backup Schedule** menu, slide the on/off switch at the right to turn this feature on.




4. Click the  icon under the **Manage schedule** to add your desired schedule.



5. You may configure the following items for the schedule.

- Name of the scheduled backup
- Backup schedule type
- Backup start time
- Run Retention Policy after backup




6. Click the  icon and then the  icon to confirm the setting.

## 7 Restoring with a Cloud File Backup Set


### 7.1 Restore with AhsayOBM

Login to the AhsayOBM application according to the instruction provided in the chapter on [Login to AhsayOBM](#).

1. Click the **Restore** icon on the main interface of AhsayOBM.




2. Select the backup set that you would like to restore from.







3. Select the backup destination that contains the data that you would like to restore.



4. Select to restore from a specific backup job, or the latest job available from the **Select what to restore** drop down menu.




5. Select **Restore to local computer** if you want to restore the backed up data to the location computer.




Click **Next** to continue.

6. If **Restore to local computer** is enabled, browse to the corresponding directory path on the local computer that you want the data to be restored to.



-OR-

If **Restore to local computer** is disabled, select **Original location** to restore the data to the original directory path on the cloud storage, or **Alternate location** to restore to the data to an alternate path on the cloud storage.




The screenshot shows a window titled "AhsayOBM" with the heading "Choose Where The Files To Be Restored". Below the heading, there is a section "Restore files to" with two radio buttons: "Original location" (which is selected) and "Alternate location". To the right of the "Alternate location" radio button is a text input field and a "Change" button. At the bottom of the window, there is a red bar containing four buttons: "Previous", "Next", "Cancel", and "Help".

Click **Change** to browse to the alternate path on the cloud storage.


**Important:** Data can only be restored to a local computer, or to the original cloud storage that the data was backed up from (e.g. same cloud storage provider and same account). You cannot restore the data to a different cloud storage (e.g. a different cloud storage provider or different account)

7. Select the temporary directory for storing temporary files.




The screenshot shows a window titled "AhsayOBM" with the heading "Temporary Directory". Below the heading, there is a section "Temporary directory for storing restore files" with a text input field containing "C:\Users\Administrator\temp" and a "Browse" button. At the bottom of the window, there is a red bar containing four buttons: "Previous", "Restore", "Cancel", and "Help".

8. Click **Restore** to start the restoration.
9. The following screen is displayed when the files are restored successfully.



**Important:** Data of a **Run on Server Cloud File backup set** can only be restored via the AhsayCBS web console. The following error message will be displayed if you try to restore data of a **Run on Server Cloud File backup set** via the AhsayOBM user interface.




Refer to the chapter on [Restore with the AhsayCBS Web Console](#) for instruction on how to restore data for a **Run on Server Cloud File backup set**.

## 7.2 Restore with the AhsayCBS Web Console


Login to the web console according to the instruction provided in the chapter on [Login to the AhsayCBS Web Console](#).

*Note: Data of a **Run on Server** Cloud File backup set can only be restored via the AhsayCBS web console.*


1. Click on the **User** icon.



2. Select **Backup Set** from the left panel, then select **Restore** under **Execute Job** drop down menu, then click **Run**.




3. Select to restore from a specific backup job, or the latest job available from the **Select What To Restore** drop down menu. Click **Next** to proceed.




4. Select **Original location** to restore the data to the original directory path on the cloud storage, or **Alternate location** to restore the data to an alternate path on the cloud storage



Expand the directory path to browse to the alternate location on the cloud storage.



**Important:** Data can only be restored to the original cloud storage that the data was backed up from (e.g. same cloud storage provider and same account).

5. Click the  icon to start the restoration.
6. You will see the status showing **Restore is Running** when the restore is in progress.

## 8 Technical Assistance

To contact Ahsay support representatives for technical assistance, visit the following website:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Also use the Ahsay Knowledge Base for resource such as Hardware Compatibility List, Software Compatibility List, and other product information:

<https://forum.ahsay.com>

## 9 Documentation

Documentations for all Ahsay products are available at:

[https://www.ahsay.com/jsp/en/home/index.jsp?pageContentKey=ahsay\\_downloads\\_documentation\\_guides](https://www.ahsay.com/jsp/en/home/index.jsp?pageContentKey=ahsay_downloads_documentation_guides)

You can send us suggestions for improvements or report on issues in the documentation, by contacting us at:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Please specify the specific document title as well as the change required/suggestion when contacting us.



# Appendix

## Appendix A Setting Backup Destination on AhsayOBM for Backup Set Created on User Web Console


You need to read the instructions below only if you:

- Have created a backup set on AhsayCBS User Web Console; **AND**
- Selected the backup set to Run on Client; **AND**
- Have not selected any Predefined Destination in the backup creation process on the User Web Console


**-OR-**

Have selected a Predefined Destination in the backup creation process on User Web Console but wish to add additional backup destination other than the predefined destination


1. Log in to AhsayOBM according to the instructions in [Login to AhsayOBM](#).
2. In the AhsayOBM main interface, click **Backup Sets**.



3. Click the backup set which you wish to add backup destination to.




- Click the **Destination** menu on the left side, then click the **Add** button on the right to add backup destination.



- Select the storage type.

- **Single storage destination** – the entire backup will be uploaded to one single destination you selected under the **Destination storage** drop-down list. By default, the destination storage is selected as **CBS**.



- ➊ **Destination pool** – the backup will be spread over on the destinations you have selected. Enter a **Name** for the destination pool and then click **Add new storage destination to the pool** to select the desired storage destinations.

AhsayOBM

New Storage Destination / Destination Pool

Name  
DestinationPool-1

Type  
☐ Single storage destination  
☒ Destination pool

Add the cloud (e.g. Google Drive or Dropbox) or local storage that you would like to pool together for backup. You can always add more storage to this pool in the future.

Existing storage destinations in the pool  
+ Add new storage destination to the pool

OK Cancel Help

Previous Next Cancel Help

You can choose a storage combination of the Local/Mapped drive/Removable Drive, Cloud storage or FTP. Click **OK** to proceed when you are done with the settings.

- ➋ If you have chosen the Local/Mapped Drive/Removable Drive option, click **Change** to browse to a directory path where backup data will be stored, then click **Test** to validate the path. **Test completed successfully** shows when the validation is done.

AhsayOBM

New Storage Destination For The Pool

Name  
Local-1

Destination storage  
Local / Mapped Drive / Removable Drive

Local path  
Change

Test

OK Cancel Help

Previous Next Cancel Help

- If you have chosen the Cloud Storage, click **Test** to log in to the corresponding cloud storage service.

AhsayOBM

### New Storage Destination For The Pool

Name  
GoogleDrive-1

Destination storage  
Google Drive

Test

[Sign up for Google Drive](#)

OK Cancel Help

- If you have chosen the FTP as the destination, enter the the Host, Username and Password details.

AhsayOBM

### New Storage Destination For The Pool

Name  
FTP-1

Destination storage  
FTP: FTP

Host Port

Username

Password



(optional) FTP directory to store backup data (default to ~/Ahsay)

☐ Connect with SSL/TLS (explicit only)

☐ Access the Internet through proxy

Test

OK Cancel Help

6. You can add multiple storage destinations. The backup data will be uploaded to all the destinations you have selected in the order you added them. Press the   icon to alter the order. Click **Next** to proceed when you are done with the selection.

